

TOYOTA LANDCRUISER

SAHARA & WAGONS




Handsome styling and greater comfort – luxurious LandCruiser Station



Outdoor life will never be the same. The luxurious LandCruiser Station Wagon brings high style and luxurious comfort to the toughness and dependability of LandCruiser. Crisp aerodynamic styling improves high-speed stability and an unequalled level of car-like comfort inside. LandCruiser Station Wagon is available in 2 roof heights:– the GX Wagon comes with extra high roof, a third seat, 4 speed automatic transmission, air conditioning available.

The LandCruiser Station Wagon range has plenty of power, handles easily, and lives up to the LandCruiser tradition of tough off-road performance and durability.

Relax and enjoy the comforts of a Wagon – a truly unique experience.



MODEL	HJ60RV-MCQ Std Roof, Diesel, Standard Spec., Manual	HJ60RG-MQ Std Roof, Diesel, Delux Spec., Manual	HJ60RG-MZQ High Roof, Diesel, Delux Spec., Manual	HJ60RG-PQ Std Roof, Diesel, Delux Spec., Automatic	HJ60RG-PZQ High Roof, Diesel, Delux Spec., Automatic	FJ62RV-MCQ Std Roof, Petrol, Standard Spec., Manual	FJ62RG-MQ Std Roof, Petrol, Delux Spec., Manual	FJ62RG-MZQ High Roof, Petrol, Delux Spec., Manual	FJ62RG-PZQ High Roof, Petrol, Delux Spec., Automatic
			Sahara		Sahara			Sahara	
ENGINE									
TYPE	2H-6 Cyl. Diesel				3F-6 Cyl. Petrol				
DISPLACEMENT cc	3980				3955				
BORE & STROKE mm	91 x 102				94 x 95				
COMPRESSION RATIO	20.7				8.1				
MAX POWER (DIN)	76kW/3500 rpm				110kW/4200 rpm				
MAX TORQUE (DIN)	241Nm/1800 rpm				284Nm/2200 rpm				
DRIVE TRAIN									
CLUTCH	Single dry plate-diaphragm springs				—				
TRANSMISSION	5 Spd manual with 2 Spd 4WD transfer				4 Spd auto with 2 Spd 4WD transfer				
GEAR RATIOS 1ST	4.843		2.950		4.843		4.843		
2ND	2.618		1.530		2.618		2.618		
3RD	1.516		1.000		1.516		1.516		
4TH	1.000		0.717		1.000		1.000		
5TH	0.845		—		0.845		0.845		
REV	4.843		2.678		4.843		4.843		
AXLES									
FRONT CAPACITY kg	1300				1300				
REAR CAPACITY kg	2500				2500				
AXLE RATIO	4.111				4.111				
STEERING									
TYPE	Power assisted recirculating ball				Power assisted recirculating ball				
MIN. TURNING CIRCLE mm	2WD-13.4m 4WD-14.4m				2WD-13.4m 4WD-14.4m				
BRAKES									
FRONT	Disc – vacuum boosted hydraulic				Disc – vacuum boosted hydraulic				
REAR	Drum – vacuum boosted hydraulic				Drum – vacuum boosted hydraulic				
SUSPENSION									
FRONT	Semi-elliptic leaf spring – double acting shocks				Semi-elliptic leaf springs – double acting st				
REAR	Semi-elliptic leaf spring – double acting shocks				Semi-elliptic leaf springs – double acting st				
TYRES									
FRONT	7.50R-16-6	7.50R-16-6	10R-15	205R-16C-6	205R-16C-6	7.50R-16-6	7.50R-16-6	10R-15	7.5
REAR	7.50R-16-6	7.50R-16-6	10R-15	205R-16C-6	205R-16C-6	7.50R-16-6	7.50R-16-6	10R-15	7.5
DIMENSIONS & WEIGHTS									
WHEELBASE mm	2730				2730				
OVERALL LENGTH mm	4750				4750				
WIDTH mm	1800		1880		1800		1880		
HEIGHT mm	1825	1835	1950	1805	1925	1825	1835	1950	
TREAD FRONT mm	1475	1475	1515	1475	1475	1475	1475	1515	
REAR mm	1460	1460	1500	1460	1460	1460	1460	1500	
LOADSPACE LENGTH mm	1025	1030	1025	1030	1025	1025	1030	1025	
WIDTH mm	1520		1075		1520		1075		
HEIGHT mm	1045	1025	1125	1025	1125	1045	1025	1125	
REAR OVERHANG	1295				1295				
GROUND CLEARANCE	225				195				
KERB WEIGHT									
FRONT kg	1010	1015	1075	1015	1070	930	935	1005	
REAR kg	1000	1030	1170	1000	1140	1000	1030	1165	
TOTAL kg	2010	2045	2245	2015	2210	1930	1965	2170	
G.V.M. kg	2730	2730	2910	2730	2910	2730	2730	2910	
FUEL TANK CAPACITY Litres	90				90				
SEATING CAPACITY	6	6	8	6	8	6	6	8	

Wagon. 60

LandCruiser
com.au



RG-PQ
Std Roof, Petrol,
Delux Spec.,
Automatic

FJ62RG-PZQ
High Roof, Petrol,
Delux Spec.,
Automatic

Sahara

Standard auto with 2 Spd 4WD transfer

2,950

1,530

1,000

0,717

2,678

Locks

Locks

DR-16-6 7.50R-16-6

DR-16-6 7.50R-16-6

1800

1830 1950

1475 1475

1460 1460

1030 1025

520 1075

205 1125

970 1040

1045 1180

2015 2220

2730 2910

6 8

FEATURES	FJ62RV MCQ Std Roof, Petrol, Standard Spec., Manual	HJ60RV MCQ Std Roof, Diesel, Standard Spec., Manual	FJ62RG MQ Std Roof, Petrol, Delux Spec., Manual	FJ62RG PQ Std Roof, Petrol, Delux Spec., Automatic	HJ60RG MQ Std Roof, Diesel, Delux Spec., Manual	HJ60RG PQ Std Roof, Diesel, Delux Spec., Automatic	FJ62RG MZQ High Roof, Petrol, Delux Spec., Manual	FJ62RG PZQ High Roof, Petrol, Delux Spec., Automatic	HJ60RG MZQ High Roof, Diesel, Delux Spec., Manual	HJ60RG PZQ High Roof, Diesel, Delux Spec., Automatic
Cyclone Air Cleaner	S	S	S	S	S	S	S	S	S	S
Air Cleaner Clog Warning	S	S	S	S	S	S	S	S	S	S
Limited Slip Diff (LSD)	-	-	-	-	-	-	S	S	S	S
Power Steering	S	S	S	S	S	S	S	S	S	S
Air Conditioning	-	-	-	-	-	-	-	-	-	S
Tilt Steering	S	S	S	S	S	S	S	S	S	S
2WD to 4WD Selector Switch	-	-	S	S	S	S	S	S	S	S
Free Wheeling Hubs	S	S	S	S	S	S	S	S	S	S
Sunroof	-	-	-	-	-	-	S	S	S	S
Laminated Windscreen	S	S	S	S	S	S	S	S	S	S
Quarter Vent Windows	S	S	S	S	S	S	S	S	S	S
Detachable Windows	-	-	-	-	-	-	-	-	-	-
Power Windows	-	-	-	-	-	-	S	S	S	S
Rear Window Wiper	-	-	S	S	S	S	S	S	S	S
Rear Demister	S	S	S	S	S	S	S	S	S	S
Fuel Lid Opener	-	-	-	-	-	-	S	S	S	S
90 Litre Fuel Tank	S	S	S	S	S	S	S	S	S	S
Auxilliary 90L Fuel Tank	-	-	-	-	-	-	-	-	-	-
Mud Guards (F)	S	S	S	S	S	S	S	S	S	S
Mud Guard Flares	-	-	-	-	-	-	S	-	S	-
Side Step	-	-	-	-	-	-	S	-	S	-
Clutch Booster	-	-	S	-	S	-	S	-	S	-
Urethane Steering Wheel	-	-	S	S	S	S	S	S	S	S
Vinyl Seats	S	S	-	-	-	-	-	-	-	-
Fabric Seats	-	-	S	S	S	S	S	-	S	-
Seating Capacity	6	6	6	6	6	6	8	8	8	8
Rear ELR Belts	S	S	S	S	S	S	S	S	S	S
Vinyl Floor Mats	S	S	-	-	-	-	-	-	-	-
Carpet (F + R)	-	-	S	S	S	S	S	S	S	S
Tachometer	S	S	S	S	S	S	S	S	S	S
Clock	S	S	S	S	S	S	S	S	S	S
Clinometer/Altimeter	-	-	S	S	S	S	S	S	S	S
AM/FM Radio	S	S	-	-	-	-	-	-	-	-
AM/FM Radio/Cassette	-	-	S	S	S	S	S	S	S	S
Electric Antenna	-	-	-	-	-	-	S	S	S	S
Traction Hook 2 Front + 1 Rear	S	S	S	S	S	S	S	S	S	S
Striping	-	-	-	-	-	-	-	S	-	S
Throttle Control Knob	S	S	S	S	S	S	S	S	S	S
Full 1mm Thick Body Panels	S	S	S	S	S	S	S	S	S	S
'Excelite' Anti-Corrosion Sheet Steel	S	S	S	S	S	S	S	S	S	S
Closed Section Welded Box Frame Joints	S	S	S	S	S	S	S	S	S	S



HJ60RV-MCQ
STD ROOF, DIESEL, STANDARD
SPEC., MANUAL



HJ60RG-MQ
STD ROOF, DIESEL, DELUX SPEC.,
MANUAL



HJ60RG-PQ
STD ROOF, DIESEL, DELUX SPEC.,
AUTOMATIC



FJ62RV-MCQ
STD ROOF, PETROL, STANDARD
SPEC., MANUAL



FJ62RG-MQ
STD ROOF, PETROL, DELUX SPEC.,
MANUAL



FJ62RG-PQ
STD ROOF, PETROL, DELUX SPEC.,
AUTOMATIC



HJ60RG-MZQ
HIGH ROOF, SAHARA, DIESEL,
DELUX SPEC., MANUAL



HJ60RG-PZQ
HIGH ROOF, SAHARA, DIESEL,
DELUX SPEC., AUTOMATIC




FJ62RG-MZQ
HIGH ROOF, SAHARA, PETROL,
DELUX SPEC., MANUAL



FJ62RG-PZQ
HIGH ROOF, SAHARA, PETROL,
DELUX SPEC., AUTOMATIC

HJ60
.com.au



Distributed nationally by Thies Toyota Pty. Ltd.
(incorporated in Queensland)
2-28 Alexander Avenue, Taren Point, N.S.W. 2229
Vehicles warranted for 12 months or 20,000 km whichever occurs first.

Specifications subject to change without notice. Model availability may vary by State.
Please consult your authorised local Toyota Commercial Vehicle dealer for the latest
information on models, availability, specifications and price.

TOYOTA
Oh what a feeling!

