

4 LAND CRUISER 4WD STATION WAGON

It's got the creature-comforts you miss in most other 4 Wheel drives, loads more style and city-slick handling. And it's as rugged as anything you'll meet in the country.





TOYOTA



Please yourself. The new Land Cruiser Station Wagon offers full passenger-car style and comfort with 4 Wheel Drive. "TOYOTA-AIR" air-conditioning by Nippondenso is available as an optional extra. Now real versatility is yours. On-road and off-road. For work or leisure. And all without compromising comfort. Spread out in the spacious passenger-car interior. Get the feel of the fully-upholstered seating throughout, reclining bucket-type in front.

Note the driver positioning adjustments to seating. Tilt steering wheel position on deluxe model. Note the quieter interior. The larger curved glass windows, that maximise room and visibility. The passenger-car dashboard, that's easy to read, and set low to enhance visibility. The easily-reached controls. Once you've got into it you'll just have to take it out for a test drive. The new 4WD Land Cruiser Station Wagon. In petrol or diesel. You'll buy it for more than the interior.

Specifications

MODEL

Deluxe Station Wagon G
(With upper & lower rear gate)
Petrol Powered - FJ60RG-KQ
Diesel Powered - HJ60RV-KCO
Standard Station Wagon
(With swing out back doors)
Petrol Powered - FJ60RV-KCO
Diesel Powered - HJ60RV-KCO

AXLES

Front: Fully floating hypoid gear drive, incorporating Burfield constant velocity coupling
Capacity: 1300 kg
Rear: Fully floating hypoid gear drive
Capacity: 2500 kg
Axle Ratio: 4.111 front & rear

BRAKES

Service Brakes: Hydraulic internal expanding rear drum brakes & front disc with tandem master cylinder - vacuum booster & P&B valve.
Diameter: Front disc: 302 mm
Rear drums: 295 mm
Lining Area: Front: 225 cm²
Rear: 710 cm²
Total: 935 cm²

Parking Brake: Mechanical internal expanding (drum brakes) - floor mounted lever.

CLUTCH

Type: Single dry plate - diaphragm spring pressure plate - hydraulically operated
Facing Dia: 275 mm
Facing Area: 706 cm²

COOLING SYSTEM:

Water cooled by centrifugal pump - radiator reserve tank - fluid coupling fan (Tempered in HJ60)

Coolant Capacity

Petrol Engine: 16.5 Litre
Diesel Engine: 15.4 Litre

DIMENSIONS

Wheelbase: 2,730 mm
Tread: Front: 1,475 mm
Rear: 1,460 mm
Overall: Length: 4,750 mm
Width: 1,800 mm
Height: 1,845 mm
Ground Clearance: 230 mm
Angle Of: Approach: 37°
Departure: 19°

ELECTRICAL SYSTEM

Battery: N702 - 12 volt 70 AH. - Low maintenance
Alternator: 12 Volt 480 watt
Hazard warning lights.

ENGINE

(Petrol)
Model: Toyota 2F - 6 cylinder in-line, 4 cycle O.H.V.
Bore & Stroke: 94.0 x 101.6 mm
Piston Displacement: 4230 cc.
Compression Ratio: 7.8:1
Air Cleaner: Cyclone type
Power SAE Nett: 96KW @ 3600 rpm
Torque SAE Nett: 274Nm @ 1800 rpm

ENGINE

(Diesel)
Model: Toyota 2H - 6 cylinder in-line, 4 cycle O.H.V.
Bore & Stroke: 91.0 x 102.0mm
Piston Displacement: 3980 cc.
Compression Ratio: 19.0:1
Air Cleaner: Cyclone type
Power SAE Nett: 72 KW @ 3500 rpm
Torque SAE Nett: 229Nm @ 2000 rpm

FRAME:

Ladder type, box section

FUEL SYSTEM:

(Petrol): Mechanical diaphragm fuel pump and down draft two barrel carburettor
(Diesel): Bosch type injection pump with combined governor

Fuel Tank Capacity: 90 Litre

LUBRICATION SYSTEM:

Forced lubrication by gear pump with full flow filter

Oil Capacity (Petrol): 8.0 Litre
(Diesel) 10.3 Litre

STANDARD EQUIPMENT:

• front & rear heater • dash mounted assist grip, rear passengers assist grip • rear sliding windows • front & rear mud flaps • halogen head lamps • rubber floor mats (standard wagon) • cigarette lighter • rear step • bumper bar incorporating licence plate holder • hand throttle • 2 speed windscreen wipers with washers • fresh air vents • front quarter windows • 2 external & 1 internal rear view mirrors • wind up side windows • fully insulated roof • fully lined inside • 2 interior sun visors • heavy duty front bumper bar • front mounted tow hook • locking petrol cap cover plate • heavy gauge steel plate protecting sump & transfer case • tool kit incorporating 2 tonne capacity jack • AM/FM radio

INSTRUMENTATION:

• ammeter • speedometer • odometer • tripmeter • fuel, oil pressure & temperature gauges • parking brake & brake fail indicator lights • heater plug indicator

lamp for diesel only • fuel/water separator warning indicator (diesel only)

ADDITIONAL STANDARD EQUIPMENT

Deluxe Station Wagon Only

• intermittent windscreen wipers • AM/FM radio and cassette player • fabric covered split front bench seat • carpeted throughout • tachometer • rear window wiper and washer • tilt steering • chrome mouldings

SEATING CAPACITY

6 Persons

STEERING

Type: Integral power - recirculating ball
Ratio: 19.13:1
Steering Wheel Turns (stop-to-stop): 3.6
Turning Circle: 13.4m
Steering Lock Fitted

SUSPENSION

(Deluxe station wagon)
Front: Semi elliptic - 5 leaf springs
Rear: Semi elliptic - 6 leaf springs
Stabiliser: Front torsion bar
Shock Absorber: Double acting hydraulic telescopic - front & rear
(Standard Station Wagon)
Front: Semi elliptic - heavy duty - 6 leaf springs
Rear: Semi elliptic - heavy duty - 6 leaf springs
Shock Absorber: Double acting hydraulic telescopic - front & rear

TRANSMISSION

Type: 4 Speed forward all synchromesh - 1 reverse

Lever Position: Floor mounted

Gear Ratios:

1 - 4.843

2 - 2.619

3 - 1.516

4 - 1.000

Reverse - 4.843

Transfer Box: 2 Speed helical gear, sliding coupling

Lever Position: Next to transmission shift lever

Gear Ratios: Low: 1.961:1

High: 1.000:1

Tyres: 750-16-6 PR. LT.


Rim: 5.50 F 16

WEIGHTS	FRONT KG	REAR KG	TOTAL KG
FJ60RG-KQ	950	965	1915
HJ60RV-KCO	1015	970	1985
FJ60RV-KCO	960	970	1930
HJ60RV-KCO	1025	975	2000

Gross Vehicle Mass - 2730 kg

WARRANTY

12 months or 20,000 km whichever occurs first.



THIESS TOYOTA PTY. LTD.
2-28 Alexander Avenue, Taren Point, N.S.W. 2229.
Sole Australian distributor of Toyota Commercial Vehicles

